



Philippine Amusement and Gaming Corporation

Creating Opportunities Beyond Gaming

REQUEST FOR QUOTATION

Date : **November 11, 2021**

PAP Code/
Project Title : **CEB-60 Supply, Delivery and Installation of Various Spare Parts for the Repair of Air-con Units and Ventilating Fans for CF-Cebu and Satellites**

ITB No. : **SV21-11-009CEB**

Approved Budget for
the Contract (ABC) : **NINE HUNDRED FIFTY THOUSAND PESOS (PHP 950,000.00), Vat Exclusive, Zero Rated Transaction**

Deadline for the
Submission and
Receipt of
Quotations/Proposals : **November 18, 2021, Thursday, 1:00 pm (Sealed Quotation)**

Opening of Quotation : **November 18, 2021, Thursday, 2:00 pm**
Please submit and address the envelope containing the accomplished RFQ form and required documents to the Procurement Office, Casino Filipino – Cebu, 3rd Floor of Waterfront Hotel & Casino, Salinas Drive, Lahug, Cebu City.

The envelope shall bear the name and address of the Bidder in capital letters;

1. Title and reference number for the project, and
2. Name, address and contact details (telephone/cellphone number and/or email address) of the Bidder


Note: Quotations submitted after the deadline shall not be accepted.

Sir / Madame:

In accordance with the Technical Specifications/Scope of Work and General Conditions for the project stated herewith, kindly fill up and submit your lowest quotation.

For any inquiries or clarifications, please contact the Procurement Section at telephone number 268-4989 and look for Mr. Eric A. Laquindanum.

Thank you.


JOEL G. CANTOS
A/SCM, CFT
Chairman, BBAC, CF-Cebu

Dear Mr. Cantos:

In accordance with your request, the following is our quotation for your requirement:

I. **Technical Specifications/Scope of Work and General Conditions of the Project:**

Description / Scope of Work		Offered Technical Quotation/ Proposal
CEB-60 Supply, Delivery and Installation of Various Spare Parts for the Repair of Air-Con Units and Ventilating Fans for CF-Cebu and Satellites		<input type="checkbox"/> COMPLY <input type="checkbox"/> NOT COMPLY
Qty/Unit	Item Description	
1 unit	MOTOR COMPRESSOR (7.5 TR) SCROLL TYPE, 200-230V, LRA 164, 3PH, 60Hz, R-22 MODEL: ZR81KC-TF5-522	
6 units	MOTOR COMPRESSOR (5.0 TR) SCROLL TYPE, 200-230V, LRA 125, 3PH, 60Hz, R-22 MODEL: ZR54KS-TF5-522	
1 unit	MOTOR COMPRESSOR (5.0 TR) MN: C-SB353H6B, LRA 121 A/134 A, RLA 16.4A /16.6A, 3PH, 220-240V, CODE: 80984386, FLA 19.62 A, R-22 FOR EXISTING YORK 5.0 TR UNIT MN:YF-60D	
3 units	MOTOR COMPRESSOR (1.5 HP) 208-230V, 1PH, 60HZ, LRA 33, R-22	
2 units	MOTOR COMPRESSOR (2.5 HP) 208-230V, 1PH, 60HZ, LRA 55, R-22	
2 units	MOTOR COMPRESSOR (2.0 HP) SCROLL TYPE, 208-230V, 1PH, 60HZ, LRA 47, R-22	
2 units	MOTOR COMPRESSOR (3.0 TR) SCROLL TYPE, 208-230V, 1PH, 60HZ, LRA 95, R-22	
1 unit	MOTOR COMPRESSOR (3.0 TR) MN: H23A383ABCA, LRA 97, 1 PH, R-22, FOR EXISTING YORK 3.0TR UNIT	
10 units	FAN MOTOR (1/2 HP, OUTDOOR) 3.7 AMPS., 208-230V, SINGLE SHAFT, 1 PH, MN: D7745	
10 pieces	PRESSURE SWITCH (LOW) OPEN 30+/-, 5 PSI, CLOSE 65+/-, 5PSI	
10 pieces	PRESSURE SWITCH (HIGH) OPEN 440+/-, 15PSI, CLOSE 320+/-, 10PSI	
2 pieces	CONTROL BOARD FOR EXISTING SAMSUNG INDOOR UNIT (5.0 TR)	
24 pieces	MAPP GAS, 14.1 oz/ 400g	
10 pieces	GAUGE, PRESSURE GAUGE (LOW SIDE)	
10 pieces	GAUGE, PRESSURE GAUGE (HIGH SIDE)	
100 pieces	ROD, SILVER ROD	
10 pieces	BRAZING FLUX	
20 pieces	VALVE, ACCESS VALVE W/ TUBE, 1/4" X 4", 1/4" DIA.	
5 pieces	FAN BLADE, ALUMINUM, 23" DIA. FOR EXISTING KOPPEL OUTDOOR UNIT (5.0 TR, 7.5 TR)	

2 pieces	FAN BLADE, PLASTIC, 24" DIA. FOR EXISTING CARRIER OUTDOOR UNIT (7.5 TR & 5.0 TR)	<input type="checkbox"/> COMPLY <input type="checkbox"/> NOT COMPLY
10 pieces	FAN BLADE, ALUMINUM, 18" DIA. FOR EXISTING SAMSUNG OUTDOOR UNIT (5.0 TR)	
10 pieces	AIR SWING MOTOR FOR EXISTING SAMSUNG INDOOR UNIT (5.0 TR) AC 220/240 V, 50/60HZ, 5/6RPM, 3/2.5W	
10 pieces	SWITCH, AIRCON SWITCH	
5 pieces	CONTROL, THERMOSTAT CONTROL FOR KOLIN WINDOW TYPE 20(20)A 250/125V, 50/60Hz, WK 16E-460-120, WP 16H-L, 19.03.09	
5 pieces	CONTROL, THERMOSTAT CONTROL FOR CARRIER WINDOW TYPE 20(20)A 250/125V, 50/60Hz, WK 16E-400-220, WP 16D-L, 17.04.21	
4 pieces	SWITCH, SELECTOR SWITCH (4 BUTTONS) (FOR KOPPEL, 17A, 120-240VAC, 1 1/8HP, 120 VAC, 2HP 240VAC)	
20 pieces	TAPE, FOAM INSULATION (2" X 30' X 1/8" THK)	
10 pieces	TAPE, ALUMINUM DUCT TAPE, 3" X 50M	
10 pieces	TAPE, POLYTHELENE RUBBER, 4"	
5 units	FAN, EXHAUST 10" CEILING-MOUNTED, HEAVY DUTY TYPE, 230VOLTS, 1PH, 60HZ	
5 units	FAN, EXHAUST 12" CEILING-MOUNTED, HEAVY DUTY TYPE, 230VOLTS, 1PH, 60HZ	
30 pieces	V-BELT, A-120	
10 pieces	V-BELT, A-125	
10 pieces	V-BELT, A-102	
10 pieces	V-BELT, A-85	
6 pieces	V-BELT, A-53	
10 pieces	V-BELT, B-159	
10 pieces	BELT DRESSING SPRAY	
40 pieces	BEARING, 6201z	
60 pieces	BEARING, 6202z	
10 pieces	BEARING, 6203z	
10 pieces	BEARING, 6204z	
10 pieces	SWITCH, PUSH BUTTON SWITCH (NORMALLY OPEN, AC 125V 5A, AC 250V 3A)	
10 pieces	SWITCH, PUSH BUTTON SWITCH (NORMALLY CLOSE, 220-250 VAC 6A)	
5 pieces	TIMER ANLY STAR DELTA, TRD-N-TYPE RANGE 0-60 SECONDS, 220 VOLTS	
10 pieces	MAGNETIC CONTACTOR SC-N2, 220V	

5 pieces	THERMAL OVERLOAD RELAY TR-N2/3, 18-26 AMP, 220VOLTS		<input type="checkbox"/> COMPLY <input type="checkbox"/> NOT COMPLY
5 pieces	THERMAL OVERLOAD RELAY TR-N2/3, 24-36 AMP, 220VOLTS		
5 pieces	THERMAL OVERLOAD RELAY TR-N2/3, 24-36 AMP, 220VOLTS		
2 pieces	PILLOW BLOCK BEARING SYJ 50 TF		
Additional Requirements	For clarification, the supplier may verify the specifications to the End-User.		<input type="checkbox"/> COMPLY <input type="checkbox"/> NOT COMPLY
	Must have office and shop in Cebu base.		<input type="checkbox"/> COMPLY <input type="checkbox"/> NOT COMPLY
Completion Period	Within thirty (30) calendar days from the acknowledgement date of Notice to Proceed		<input type="checkbox"/> COMPLY <input type="checkbox"/> NOT COMPLY
Delivery Place	Casino Filipino – Cebu Main, Waterfront Hotel & Casino Salinas Drive, Lahug, Cebu City		<input type="checkbox"/> COMPLY <input type="checkbox"/> NOT COMPLY

II. Financial Quotation:

Qty./Unit	Description	Unit Cost VAT Exclusive, Zero Rated Transaction	Total Cost VAT Exclusive, Zero Rated Transaction
1 unit	MOTOR COMPRESSOR (7.5 TR) SCROLL TYPE, 200-230V, LRA 164, 3PH, 60Hz, R-22 MODEL: ZR81KC-TF5-522	PHP	PHP
6 units	MOTOR COMPRESSOR (5.0 TR) SCROLL TYPE, 200-230V, LRA 125, 3PH, 60Hz, R-22 MODEL: ZR54KS-TF5-522	PHP	PHP
1 unit	MOTOR COMPRESSOR (5.0 TR) MN: C-SB353H6B, LRA 121 A/134 A, RLA 16.4A /16.6A, 3PH, 220-240V, CODE: 80984386, FLA 19.62 A, R-22 FOR EXISTING YORK 5.0 TR UNIT MN: YF-60D	PHP	PHP
3 units	MOTOR COMPRESSOR (1.5 HP) 208-230V, 1PH, 60HZ, LRA 33, R-22	PHP	PHP
2 units	MOTOR COMPRESSOR (2.5 HP) 208-230V, 1PH, 60HZ, LRA 55, R-22	PHP	PHP
2 units	MOTOR COMPRESSOR (2.0 HP) SCROLL TYPE, 208-230V, 1PH, 60HZ, LRA 47, R-22	PHP	PHP
2 units	MOTOR COMPRESSOR (3.0 TR) SCROLL TYPE, 208-230V, 1PH, 60HZ, LRA 95, R-22	PHP	PHP
1 unit	MOTOR COMPRESSOR (3.0 TR) MN: H23A383ABCA, LRA 97, 1 PH, R-22, FOR EXISTING YORK 3.0TR UNIT	PHP	PHP

10 units	FAN MOTOR (1/2 HP, OUTDOOR) 3.7 AMPS., 208-230V, SINGLE SHAFT, 1 PH, MN: D7745	PHP	PHP
10 pieces	PRESSURE SWITCH (LOW) OPEN 30+/-, 5 PSI, CLOSE 65+/-, 5PSI	PHP	PHP
10 pieces	PRESSURE SWITCH (HIGH) OPEN 440+/-, 15PSI, CLOSE 320+/-, 10PSI	PHP	PHP
2 pieces	CONTROL BOARD FOR EXISTING SAMSUNG INDOOR UNIT (5.0 TR)	PHP	PHP
24 pieces	MAPP GAS, 14.1 oz./ 400g	PHP	PHP
10 pieces	GAUGE, PRESSURE GAUGE (LOW SIDE)	PHP	PHP
10 pieces	GAUGE, PRESSURE GAUGE (HIGH SIDE)	PHP	PHP
100 pieces	ROD, SILVER ROD	PHP	PHP
10 pieces	BRAZING FLUX	PHP	PHP
20 pieces	VALVE, ACCESS VALVE W/ TUBE, 1/4" X 4", 1/4" DIA.	PHP	PHP
5 pieces	FAN BLADE, ALUMINUM, 23" DIA. FOR EXISTING KOPPEL OUTDOOR UNIT (5.0 TR, 7.5 TR)	PHP	PHP
2 pieces	FAN BLADE, PLASTIC, 24" DIA. FOR EXISTING CARRIER OUTDOOR UNIT (7.5 TR & 5.0 TR)	PHP	PHP
10 pieces	FAN BLADE, ALUMINUM, 18" DIA. FOR EXISTING SAMSUNG OUTDOOR UNIT (5.0 TR)	PHP	PHP
10 pieces	AIR SWING MOTOR FOR EXISTING SAMSUNG INDOOR UNIT (5.0 TR) AC 220/240 V, 50/60HZ, 5/6RPM, 3/2.5W	PHP	PHP
10 pieces	SWITCH, AIRCON SWITCH CONTROL, THERMOSTAT CONTROL	PHP	PHP
5 pieces	FOR KOLIN WINDOW TYPE 20(20)A 250/125V, 50/60HZ, WK 16E-460-120, WP 16H- L, 19.03.09	PHP	PHP
5 pieces	CONTROL, THERMOSTAT CONTROL FOR CARRIER WINDOW TYPE 20(20)A 250/125V, 50/60Hz, WK 16E-400-220, WP 16D-L, 17.04.21	PHP	PHP
4 pieces	SWITCH, SELECTOR SWITCH (4 BUTTONS) (FOR KOPPEL, 17A, 120-240VAC, 1 1/8HP, 120 VAC, 2HP 240VAC)	PHP	PHP
20 pieces	TAPE, FOAM INSULATION (2" X 30" X 1/8" THK)	PHP	PHP

10 pieces	TAPE, ALUMINUM DUCT TAPE, 3" X 50M	PHP	PHP
10 pieces	TAPE, POLYTHELENE RUBBER, 4"	PHP	PHP
5 units	FAN, EXHAUST 10" CEILING-MOUNTED, HEAVY DUTY TYPE, 230VOLTS, 1PH, 60HZ	PHP	PHP
5 units	FAN, EXHAUST 12" CEILING-MOUNTED, HEAVY DUTY TYPE, 230VOLTS, 1PH, 60HZ	PHP	PHP
30 pieces	V-BELT, A-120	PHP	PHP
10 pieces	V-BELT, A-125	PHP	PHP
10 pieces	V-BELT, A-102	PHP	PHP
10 pieces	V-BELT, A-85	PHP	PHP
6 pieces	V-BELT, A-53	PHP	PHP
10 pieces	V-BELT, B-159	PHP	PHP
10 pieces	BELT DRESSING SPRAY	PHP	PHP
40 pieces	BEARING, 6201z	PHP	PHP
60 pieces	BEARING, 6202z	PHP	PHP
10 pieces	BEARING, 6203z	PHP	PHP
10 pieces	BEARING, 6204z	PHP	PHP
10 pieces	SWITCH, PUSH BUTTON SWITCH (NORMALLY OPEN, AC 125V 5A, AC 250V 3A)	PHP	PHP
10 pieces	SWITCH, PUSH BUTTON SWITCH (NORMALLY CLOSE, 220-250 VAC 6A)	PHP	PHP
5 pieces	TIMER ANLY STAR DELTA, TRD-N-TYPE RANGE 0-60 SECONDS, 220 VOLTS	PHP	PHP
10 pieces	MAGNETIC CONTACTOR SC-N2, 220V	PHP	PHP
5 pieces	THERMAL OVERLOAD RELAY TR-N2/3, 18-26 AMP, 220VOLTS	PHP	PHP
5 pieces	THERMAL OVERLOAD RELAY TR-N2/3, 24-36 AMP, 220VOLTS	PHP	PHP
5 pieces	THERMAL OVERLOAD RELAY TR-N2/3, 24-36 AMP, 220VOLTS	PHP	PHP
2 pieces	PILLOW BLOCK BEARING SYJ 50 TF	PHP	PHP
NOTES:			(Grand Total Amount)
1. The quotations (unit and total price) shall be rounded off up to two (2) decimal places.			Amount in Words and in Figures:

2. Quotations must be gross of all applicable taxes and VAT Exclusive, Zero Rated transactions

VALIDITY OF OFFER: Ninety (90) calendar days from the opening of quotations.

PAYMENT SCHEDULE: Payment shall be made upon issuance of the Certificate of Acceptance

PHP _____

Additional Requirements:

Bidders have the option to submit the following documents, together with the quotation, on the deadline for the Submission and Receipt of Quotations/Proposal or at the latest within five (5) calendar days from the determination of the bidder having the Lowest / Single Calculated Quotation and receipt of the BBAC notice relative thereto:

1. BIR Certificate of Registration for individuals (*If applicable*);
OR;
 - 1.1 Registration Certificate from the Department of Trade and Industry (DTI) for sole proprietors, Registration Certificate from the Securities and Exchange Commission (SEC) for corporations, partnerships or joint ventures or Registration Certificate from the Cooperative Development Authority (CDA), and
 - 1.2 Valid Mayor's Permit issued by the city or municipality where the principal place of business of the bidder is located or Official Receipt as proof of payment for renewal.
2. Philippine Government Electronic Procurement System (PhilGEPS) Platinum Certificate of Registration and Membership; OR;
PhilGEPS Registration Number: _____;
3. Omnibus Sworn Statement using the form prescribed in Annex A hereof for projects with an ABC amounting to more than Fifty Thousand Pesos (PHP 50,000.00).
The Omnibus Sworn Statement shall be supported by an attached document showing proof of authorization, e.g., duly notarized Secretary's Certificate issued by the corporation or the members of the joint venture or a Special Power of Attorney (SPA) in case of sole proprietorships for situations where the signatory is not the sole proprietor/owner.
4. Latest Income or Business Tax Returns filed and paid through the BIR Electronic Filing and Payment System (EFPS) for projects with an ABC amounting to more than Five Hundred Thousand Pesos (PHP 500,000.00).

In accordance with Executive Order (E.O.) No. 398, Revenue Regulation (R.R.) No. 03-2005 and Revenue Memorandum Circular (RMC) 16 – 2005, the above-mentioned tax returns shall refer to the following:

- a) Latest Income Tax Return (ITR) shall be the ITR for the preceding year, whether calendar or fiscal, OR;
- b) Latest Business Tax Returns shall refer to the Value Added Tax (VAT) or Percentage Tax filed and paid covering the previous six (6) months before the

date of Submission, Receipt, and Opening & Preliminary Examination of Quotations.

NOTES:

- 1 Bidders shall submit their quotations through their duly authorized representatives using this form only. This form must be completed without any alterations to their format and no substitute form shall be accepted. All parameters shall be filled in with the correct and accurate information as required.
- 2 Quotation(s)/Proposal(s) submitted exceeding the Approved Budget for the Contract shall be rejected.
- 3 The prices quoted are to be paid in Philippine Currency.
- 4 All prices quoted are **INCLUSIVE** of all applicable duties, government permits, fees, and other charges relative to the acquisition and delivery of items to PAGCOR, but **VAT-Exclusive, Zero-Rated Transaction**.
- 5 For the purpose of standardization of quotations, this RFQ Form will prevail over all kinds and forms of quotation. In case of price discrepancy over the amounts in words and in figures, the amount in words will prevail.
- 6 Any interlineations, erasures or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representative/s.
- 7 PAGCOR shall have the right to inspect and/or to test the goods to confirm their conformity to the technical specifications.
- 8 Award of contract shall be made in favor of the supplier or contractor having the Single or Lowest Calculated Responsive Quotation (for goods and infrastructure projects) or a consultant with the Single or Highest Rated Responsive Proposal, which complies with the minimum technical specifications and other terms and conditions stated herein.
- 9 The supplier/contractor/consultant agrees to pay a penalty of one-tenth of one percent (1/10 of 1%) of the corresponding contract price for each day of delay, including non-working days (i.e. Saturday and Sunday), legal holidays or special non-working holidays. PAGCOR shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
- 10 For projects with an ABC amounting to more the Five Hundred Thousand Pesos (PHP 500,000.00) the winning supplier/contractor/consultant shall be required to post a performance security prior to the signing of the contract to guarantee the faithful performance of the winning supplier/contractor/consultant, in accordance with any of the following schedule:

Form of Security	Amount in Percentage of Total Contract Price
Cash or cashier's/manager's check issued by a Universal or Commercial Bank;	Five Percent (5%)
Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank:	

Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank; or	
Surety Bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorize to issue such security specific for the contract awarded.	Thirty Percent (30%)

The Performance Security shall remain valid for the entire contract duration and shall be release only after the issuance by the Philippine Amusement and Gaming Corporation (PAGCOR) of the final Certificate of Acceptance (issuance of the IAR); Provided that PAGCOR has no claims filed against the contract awardee or the surety or insurance company.

- 11 Other terms and conditions are stipulated in the attached Annex A of the Purchase Order.

BIDDER'S COMMITMENT:

We hereby agree and bind ourselves to the terms and conditions herein specified, to the manner of procurement and evaluation set up by the Casino Filipino – Cebu, Procurement Section to the provisions of the attached Annex A (Terms and Conditions) of the Purchase Order/Service Contract and to the rules and regulations of the Government and PAGCOR.

Very truly yours,

Signature over Printed Name / Date
TIN: _____

Position

Company Represented
TIN: _____

Address / Tel. No. / Fax No.

End-User: 